
Special statement

If the product is faulty, please contact the repair outlets If the repair points can not be resolved directly with my company customer Service Center Contact

All the contents of this material have been carefully checked, if any typographical errors or misunderstanding of the content, the company reserves the right to interpret. If the product has technical improvement, will be made into the new version of the manual, without notice, product appearance, color if changes, in kind.





Inspection Certificate

The factory is allowed to pass the inspection Seal: Qualified Date:

AP152 Car Air Purifier

User Manual

Please read the instructions carefully before use, and use them strictly according to the instructions.

Please keep it after reading for future reference

Thank you for buying the car air purifier! Warning notice

- · Before using, please pay attention to safety precautions.
- · After reading, keep instructions for later inspection.
- \cdot Do not place car purifier in direct sunlight or exposure to high temperatures.
- Due to continuous improvement of the company's products, subject to change without prior notice.



Electrical and electronic products sold must identify this flag logo in the figures under normal use, and state environmental protection use period of the product.

Note: Disposal of product must comply with the laws and regulations of the electrical and electronic products associated with recovery and recycling Laws and regulations.

Name and content of harmful substances in the product

		Harmfu l substances					
Name of parts	Lead (Pb)	Mercury (Hg)	CD (Cd)	Hexavalent chromium (Cr 6+)	Polybrominated biphenyls (PBB)	Two-phenyl ether (PBDE)	
Structural Parts	×	0	0	0	0	0	
Electrical parts	×	0	0	0	0	0	
Accessory Parts	0	0	0	0	0	0	

This form is based on the provisions of Sj T 11364.

Electrical components: including printed circuit boards and their components, electronic components, etc.

Directory

1.Product introduction
2.Product Description · · · · · · · · · · · · · · · · · · ·
3.Installation use · · · · · 5-6
4.Operation Instructions · · · · · · · · · · · · · · · · · · ·
5. Security Considerations · · · · · · · · · · · · · · · · · · ·
6.After-Sales notice · · · · · · · · · · · · · · · · · · ·
7.Maintenance Card······1

O: Indicates that the content of the hazardous substance in all homogeneous materials of the part is below the limited requirement specified in GB/t 26572.

X: Indicates that the content of the hazardous substance in at least one homogeneous material of the part exceeds the limit requirement specified in GB/t 26572.

■ Product introduction

The car air purifier adopts multiple purification technology, which can effectively remove PM 2. 5, smoke, dust, pollen, pet dander and formaldehyde and other pollutants, purifying the air inside the car, reduce the air pollution that causes health risks, in order to provide users a healthy and clean ride environment. This car air purifier is a healthy companion for you and your family.

This product appearance is exquisite, the use is convenient, the adaptability is strong, can also apply to the shoe cabinet, the clothing cabinets, pet houses and other small space air purification.

■ Product Features

Antibacterial

Effectively inhibit bacterial breeding and reduce pathogenic bacteria.

PM2.5 Purification

Effectively remove PM2.5 and other particulate matter.

Formaldehyde purification

Effective removal of formaldehyde volatile organic matter, away from harmful gas damage.

Anion purification

Keep the air inside the car fresh.

Core technology

Endurance antibacterial Materials

Persistent and effective antibacterial, reduce the harm of germs.

Formaldehyde purification Technology


Using modified activated carbon, effective purification of formaldehyde and other harmful gases.

HEPA High efficiency purification technology

CADR value of particulate matter up to 15m3/H

■ Product description

Before installing and using the product, read this manual carefully and check the related parts of the product:



- 1.Upper cover (INLET)
- 2. Power and Function keys
- 3.Outlet (both sides)

- 4.DC Centrifugal Fan
- 5.Multi-effect Composite filter
- 6 Car Power cord

Manufacturer's statement:


This product picture and the disposition and the physical material if has the difference, in the kind to prevail


Specification parameter

Rated voltage	 12V	Rated power	3.5W
CADR (smog)	15m³/h	Noise	52dB(A)
Product size	190x167x54(mm)	Net weight	500g


Installation and use

Installation Mode 1





1. Place the Non-slip mat on the car central armrest 2. Plug the power cord into the car purifier power receptacle




3. Place the vehicle purifier on the Non-slip mat smoothly



5. The power cord is arranged in the concealed place to facilitate normal driving




4. Plug the power cord into the cigarette holder hole



6. Light touch power supply and function key can be realized, shutdown/low-grade, high-grade wind speed switch


Installation Mode 2



1. Place the Non-slip mat on the front of the car




2. Plug the power cord into the car purifier power receptacle



3. Place the vehicle purifier on the Non-slip mat



4. Plug the power cord into the cigarette holder hole



5. The power cord is arranged in the concealed place to facilitate normal driving



6. Light touch power supply and function key can be realized, shutdown/low-grade, high-grade wind speed switch

Operation Instructions

- \blacksquare When the car purifier connected $\overline{\cdots}$ 12V power supply, "Power and Function keys" led off, car purifier into the Machine status
- Standby state Touch "power and Function keys", car purifier into the working state, led long bright blue, the blower is running at low speed by the default gear. Touch "power and Function keys" again, the fan switch to high speed gear, the LED color is converted from blue to green.
- Working state Touch "power and Function keys", fan in low-speed, high-speed stalls between the cycle of work, the light shows the corresponding color (low display blue, high-grade display green).
- Working status of the long press "power and Function keys" more than 3 seconds, the whole machine into standby state, led off.
- Remove all the packaging material filtered on the net, and then put the composite filter into the car purifier inside (see more details Change, Figure 5 *), lock the upper cover.
- Filter Life Reset: When the filter life reaches the limit, the blue light is lit and blinks at 2 times per second, at this time in standby state under the long press "power and Function keys" more than 5 seconds, leaving the "power and Function keys", Reset completed. such as filter

When the lifetime does not reach the limit value, the standby state of the long "power supply and Function key" does not perform the filter life reset action.

■ This machine has the memory function, when the power is in what state, after the power and power before the same state.

Filter replacement



 Long press power and function keys more than 3 seconds, shut down the machine



2. Press the upper cover two push bit by hand,open the upper cover



3.Remove the upper cover and remove the old strainer.



4.Remove all packaging film on the new filter.



5. Place the upper cover in the two holes in the strainer box and press push to lock the upper cover

Common Troubleshooting Guidelines

Common	Processing method
The machine can't be opened.	Please make sure the plug is in the cigarette burner socket. Please make sure the car is in the boot state Please check if the machine power cord is connected properly Please make sure the power cord is in good contact. Make sure the machine is turned on
Fan not working	·Check to see if the power cable is connected properly ·Please check the body to determine that no object is clogging the inlet and outlet. ·Please confirm the screen condition, if the filter is dirty please replace with new mesh ·Please make sure the cover is in place
Touch Button can't sense	Please check if the power cord is in good contact If the touch button is still not working after confirmation, please contact the Customer service hotline
Replacement filter does not apply	Please check the model number on the filter network, whether it is a special filter for the car air purifier Make sure the filter is actually in the filter Make sure no foreign body is plugged in the opening of the strainer Please remove the plastic film from the strainer when replacing the new filter.
The amount of wind is significantly smaller	Please check the body to determine that no object is clogging the inlet and outlet. Please confirm the screen condition, if the filter is dirty please replace with new mesh

Security Considerations

For the correct use of this product, please read carefully and observe the following precautions and cautions.

Warning

• This product uses the ---- 12V power supply, do not use the product specially with the car for power supply, do not privately transform or repair the product

- ·Do not put foreign bodies in suction, exhaust holes, lest the machine work abnormally
- If the power supply is damaged, please be sure to send it to our company or local service center to avoid danger.
- ·Do not replace the strainer, cleaning or moving the machine in the condition of the machine.
- ·Please do not use this machine where inflammable and explosive items are available
- ·Do not damp the machine

After-Sales notice

- 1. Users can enjoy one years of free warranty, life-long maintenance (appearance and consuming material is not within the scope of maintenance), the purchase time to open the purchase of effective document time.
- 2. With this card and the purchase of limited documents for maintenance, in the warranty should be produced at the same time card and the purchase of valid documents.

The following conditions are not covered under warranty

- 1. All human factors of damaged, including the use of abnormal working conditions, not according to the manual damage caused by improper use and safe keeping.
- 2. Users to disassemble, repair, modify or by the company without authorization of the unit repaired, without warranty cards and valid documents.
- 3. After the purchase of aircraft due to their own adverse transport or other irresistible factors (such as floods, fire, damage caused by lightning and earthquakes.

The company reserves the right to modify and interpret the above terms and conditions

Maintenance Card

User name	Contact phane
Oser name	Contact phone
E-mail	Zip code
Contact address	
Product model	Purchase Date
Fuselage number	Dealer Chop
Dealer address (purchase address)	
Dealer Tel	

Maintenance record

User name	Fault description/Failure reason /processing result	Date of inspection	Signature of maintenance staff